

## Professional Groundcare Range



# Winton

[www.wintonmachinery.co.uk](http://www.wintonmachinery.co.uk)  
[sales@wintonmachinery.co.uk](mailto:sales@wintonmachinery.co.uk)  
01420 520510

**Spring 2026 Edition**

# Turf Groomers



Multi action system, save time & money	Carry tray for fertiliser, seed or tools
Slitter, rake, roller & brush all in one	Dual row brushes
FA grant recommended attachment	Replaceable slitter blades






## Applications

- ▶ Lawns
- ▶ Sports pitches
- ▶ Cricket outfields
- ▶ Golf courses
- ▶ Estate management

## Specifications

Model No	R-MT150	R-MT180
Working width	150cm	180cm
HP range	20+	25+
Weight	240kg	290kg
<b>RRP (exc VAT)</b>	<b>£3,590</b>	<b>£4,100</b>



The ultimate sports pitch management attachment. In one pass, the combination turf groomer will slit the grass to aerate the soil, clear the surface with the rake tines, roll the surface flat with a striping effect and then clean off with the brush.

The handy carry tray also gives a space to carry fertiliser, seed bags, tools and other items. The most effective way to clean and maintain a sports club surface with a compact tractor.

# Aerator



Various drum/tine styles available	Interchangeable drum
Deep tine slitter as standard	Rear roller kit available
FA grant recommended attachment	Replaceable slitter blades





## Applications

- ▶ Lawns
- ▶ Sports pitches
- ▶ Cricket outfields
- ▶ Golf courses
- ▶ Estate management

## Specifications

Model No	R-AER6C2
Working width	180cm
Blade length	20cm
HP range	25+
Weight	290kg
<b>RRP (exc VAT)</b>	<b>£4,258</b>

The specification of this machine is designed and sold as a deep tine aerator/slitter.

Various **drums** with various **tine styles** are available and shown in an image below.

For more information, please contact us with your requirements.



Ideal for opening up heavily poached or compacted ground. Using the aerator regularly improves drainage. It also reduces dependency on expensive artificial fertiliser use. This means it is also good for the environment.

The rear roller kit pictured is an optional extra, please contact us for more information on availability & pricing.

# Finishing Mowers



Height-adjustable wheels for a 1.9-10cm cut	Easy access grease points
Cast iron 540 RPM gearbox	Rear-style discharge to disperse clippings
Category 1 3-point linkage	Belt-driven blades





## Applications

- ▶ Lawns
- ▶ Sports pitches
- ▶ Parklands & estates
- ▶ Golf courses
- ▶ Campsites

## Specifications

Model No	R-FM180	R-FM235
Cutting width	180cm	235cm
HP range	20-40	35-60
Blade Qty	3	5
Weight	226kg	300kg
<b>RRP (exc VAT)</b>	<b>£2,325</b>	<b>£2,615</b>
<b>Roller Kit Add On (exc VAT)</b> <span style="color: red;">+</span>	<b>£697</b>	<b>£765</b>



Ideal for regular cutting of flat and reasonably level areas using three (or five) rotary blades. Achieving a presentation finish, this is the perfect finishing mower for commercial use.

The rotary blades create a close-cut finish and the height-adjustable wheels help to stabilise and leave an even cut. More suited to regularly maintained grass rather than overgrown areas.

# Mow & Carry Finishing Mowers



Height-adjustable wheels for a 1.9-10cm cut	Collect clippings as you go
Cast iron 540 RPM gearbox	Rear-style discharge to collect clippings
Category 1 3-point linkage	High tip mechanism for optimal control





## Applications

- ▶ Lawns
- ▶ Sports pitches
- ▶ Parklands & estates
- ▶ Golf courses
- ▶ Campsites

## Specifications

Model No	R-FMC150	R-FMC180
Cutting width	150cm	180cm
HP range	25+	32+
Weight (unladen)	427kg	468kg
RRP (exc VAT)	<b>£8,595</b>	<b>£9,658</b>
Roller Kit Add On (exc VAT)	<b>TBC</b>	



Ideal for regular cutting of flat and reasonably level areas using three rotary blades. Achieving a presentation finish, this is the perfect finishing mower for commercial use. The machine's unique mow & carry technology enables the user to cut & collect clippings as you go. Requires one double acting hydraulic spool to operate tip mechanism.

The rotary blades create a close-cut finish and the height-adjustable wheels help to stabilise and leave an even cut. More suited to regularly maintained grass rather than overgrown areas.

# Multicut Finishing Mower



Height-adjustable wheels for a 2.5-10cm cut	Pin hitch fitting
Cast iron gearboxes	Rear-style discharge to disperse clippings
Folding unit for simple transportation	6-9mph operating speed





## Applications

- ▶ Lawns
- ▶ Sports pitches
- ▶ Parklands & estates
- ▶ Golf courses
- ▶ Campsites

## Specifications

Model No	R-MMC450
Cutting width	450cm
HP range	55+
Weight	1,155kg
RRP (exc VAT)	<b>£17,995</b>

This range has various options available including **front mounted versions**, **mulching kits** and **various width options**. Please contact us with your requirements for more information.



With an operating range up to 4.5m, the Multicut increases productivity and cuts the time and costs of maintaining sports fields, parks, fairways and large grassed areas in general. Requires one double acting hydraulic spool to operate tip mechanism.

Drive is transmitted through a universal joint to a fourway box and then by means of three more universal joints to the three cutting devices which operate independently. This provides a stable and level cutting platform enabling a quality finish and covers vast areas at a time.

# Sand Spreader & Top Dresser



700L capacity	Drawbar or 3 point linkage mounted
Low impact turf style tyres	Adjustable flow rate via notch selector
Hydraulic tipping mechanism for self loading	Direct drive, no PTO required





## Applications

- ▶ Recreation grounds
- ▶ Sports pitches
- ▶ Parklands & estates
- ▶ Golf courses
- ▶ Lawns

## Specifications

Model No	R-SAN700
Operating width	150cm
Working width	243cm
HP range	30+
Weight	330kg
<b>RRP (exc VAT)</b>	<b>£7,168</b>



The sand spreader and top dresser enables users to effectively cover areas with sand. This helps fight against thatch and is great when used in conjunction with aerating. The sand bed also helps to flatten the lawn and adds a layer of protection. Requires one double acting hydraulic spool to operate tip mechanism.

Sand improves the grass and soil making for a better surface. Sports pitches where players have spiked footwear benefit from the sand layers which protect the grass and soil.

# Hedge Cutters & Trimmers



Heavy duty design	3 point linkage stabiliser kit
Ergonomic build to suit compact tractors	Manual lever controls
Various cutter type attachments	PTO driven, no spools required





## Applications

- Hedge tops and sides
- Tricky verges
- Paddocks & pasture
- Ditches & gullies
- Bridlepaths

## Specifications - Hedge Cutter Frames Only

Model No	R-HC300	R-HC350
Maximum reach	300cm	350cm
HP range	25+	30+
Weight	270kg	290kg
<b>RRP (exc VAT)</b>	<b>£5,399</b>	<b>£5,949</b>

## Specifications - Hedge Cutter Head Options

Model No	R-HCF80	R-HCC145	R-HCC166	R-HCF122	R-HCF166
Head Type	Flail Head (Y)	Circular Enclosed Head		Finger Bar Trimmer	
Working width	80cm	145cm	166cm	122cm	166cm
HP range	All heads compatible with HP ranges to suit frames above				
Weight	75kg	63kg	74kg	61kg	71kg
<b>RRP (exc VAT)</b>	<b>£2,175</b>	<b>£3,195</b>	<b>£3,420</b>	<b>£2,820</b>	<b>£3,195</b>

**R-HCF**



**R-HCC**



**R-HCF**





## Local Stockist:



Prices valid from 1/1/26. E&OE, prices subject to change without notice.



[www.wintonmachinery.co.uk](http://www.wintonmachinery.co.uk)  
[sales@wintonmachinery.co.uk](mailto:sales@wintonmachinery.co.uk)  
01420 520510